

AMENDMENTS TO THE CLAIMS

1. (Previously Presented) An information display device comprising:

an information receiver receiving information including at least first information and second information;

an information controller extracting said first and second information from said information received;

a first-information display unit displaying said first information extracted; and

a second-information display unit displaying said second information extracted, wherein

said second information is advertisement information.

2. (Original) The information display device of claim 1, wherein said second information is compulsorily provided to an information receiving side by an information transmitting side.

3. (Cancelled).

B1
cont
~~4.~~³ (Original) The information display device of claim 1, wherein said second-information display unit is a display device continuing to display information even when the information display device is powered off.

5. ⁴ (Original) The information display device of claim 1, wherein said first-information display unit and said second-information display unit are separate from each other.

6. (Currently Amended) An information display device comprising:

an information receiver receiving information including at least first information and second information;

an information controller extracting said first and second information from said information received;

B1 a first-information display unit displaying said first information extracted;

an information storage successively storing said second information extracted; and

a ~~plurality of~~ second-information display ~~units~~ unit successively displaying said second information stored.

7. (Original) The information display device of claim 6, wherein said second information is compulsorily provided to an information receiving side by an information transmitting side.

8. (Original) The information display device of claim 7, wherein said information compulsorily provided is advertisement information.

9. (Original) The information display device of claim 6, wherein said second-information display unit is a display device continuing to display information even when the information display device is powered off.

10. (Original) The information display device of claim 6, wherein said first-information display unit and said second-information display unit are separate from each other.

B1 ~~11.~~¹⁴ (Previously Presented) An information display system comprising a first-information display device displaying first information and a second-information display device displaying second information, said first-information display device including:

an information receiver receiving information having at least first information and second information;

an information controller extracting said first and second information from said information received;

a first-information display unit displaying said first information extracted; and

a second-information transmitter transmitting said second information extracted, said second-information display device including:

a second information receiver receiving said second information transmitted from said second-information transmitter; and

a second-information display unit displaying said second information, wherein

said second information is advertisement information.

B1
~~12.~~¹⁵ (Original) The information display system of claim ~~11,~~¹⁴ wherein said second information is compulsorily provided to an information receiving side by an information transmitting side.

13. (Cancelled).

~~14.~~¹⁶ (Original) The information display system of claim ~~11,~~¹⁴ wherein said second-information display unit is a display device continuing to display information even when the information display device is powered off.

~~15.~~⁵ (New) The information display device of claim 1, wherein the information receiver receives a third information, which is extracted from the first and second information and displayed on a third display.

~~11~~
16. (New) The information display device of claim 6, wherein the information receiver receives a third information, which is extracted from the first and second information and displayed on a third display.

~~14~~
17. (New) The information display system of claim 11, wherein the information receiver receives a third information, which is extracted from the first and second information and displayed on a third display.

*B1
concl.* ~~12~~
18. (New) The information display device of claim 6, wherein said information receiver receives said first information and said second information through different communication paths, respectively.

~~13~~
19. (New) The information display device of claim 6, wherein there exist more than one said second-information display unit.
